

# REVISION FT

## NOTES:

1.  $\odot$  REPRESENTS A CRITICAL DIMENSION.
2. MINIMUM PUSHOUT FORCE FOR CONTACTS, WELD TABS,  $\odot$  AND THREADED INSERTS: 12 OZ.
3. MINIMUM LOCKING CLIP RETENTION: 8 OZS.
4. MAXIMUM HEIGHT VARIATION BETWEEN ANY TWO PINS: .005[0.13]
5. MAXIMUM TERMINAL BURR: .003[0.08]
6. COPLANARITY: .004[0.10] = POS 02 THRU 26  $\odot$   
.006[0.15] = POS 27 THRU 50  $\odot$
7. MEASURED FROM BEND.
8. DIMENSION CHANGED PER REVISION AD. CONTACT ENGINEERING FOR INFORMATION.
9. MEASURE FROM TIPS OF PIN.
10. NOTE DELETED.
11. DUE TO THE HIGH AMOUNT OF INSERTION FORCE NEEDED, THE -LC OPTION IS NOT COMPATIBLE WITH AUTO PLACEMENT. SAMTEC RECOMMENDS MANUAL PLACEMENT FOR ALL ASSEMBLIES WITH THE -LC OPTION.
12. SIDES OF PLASTIC BODIES ON ALL LEAD STYLES EXCEPT THE -01, -02 & -03 WILL BE SOLID AND WITHOUT SIDE SLOTS.
13. NOTE DELETED.
14. NOT ALL PARTS FOLLOW EIA-481 ORIENTATION IN THE T&R POCKET.
15. TUBES ARE STANDARD PACKAGING.
16. ORDERS WILL BE PACKAGED ACCORDING TO THE SAMTEC PACKAGING EFFICIENCY STANDARDS (SPES) FOUND ON WWW.SAMTEC.COM
17. ATTACH LABEL TO EACH REEL.

DO NOT  
SCALE FROM  
THIS PRINT

TFM-1XX-XX-XXX-D-XXX-X-XX

## NO OF POSITIONS

LEAD STYLE -01, -02, -03: -02 THRU -50 [ALL POSITIONS AVAILABLE]

LEAD STYLES -11, -12, -13: (-05 THRU -50 MULTIPLES OF 5) POSITIONS 12, 16, 17 ALSO AVAILABLE

LEAD STYLES -21, 22, 23: (-05 THRU -50 MULTIPLES OF 5) POSITIONS 12 & 13 ALSO AVAILABLE  
LEAD STYLES 31, 32: 12 POSITION ALSO AVAILABLE

## LEAD STYLE

| THROUGH HOLE         | SURFACE MOUNT   |
|----------------------|-----------------|
| -01, -03 (SEE FIG 1) | -02 (SEE FIG 2) |
| -11, -13 (SEE FIG 1) | -12 (SEE FIG 2) |
| -21, -23 (SEE FIG 1) | -22 (SEE FIG 2) |
| -31 (SEE FIG 1)      | -32 (SEE FIG 2) |

## PLATING SPECIFICATION

- S: 30 $\mu$ " SELECTIVE GOLD ON CONTACT AREA, MATTE TIN TAIL
- L: 15 $\mu$ " SELECTIVE GOLD ON CONTACT AREA, MATTE TIN TAIL
- F: 3 $\mu$ " FLASH GOLD ON CONTACT AREA, MATTE TIN TAIL
- H: 30 $\mu$ " SELECTIVE GOLD ON CONTACT AREA, 3 $\mu$ " FLASH GOLD ON TAIL
- SM: 30 $\mu$ " SELECTIVE GOLD ON CONTACT AREA, MATTE TIN TAIL
- LM: 15 $\mu$ " SELECTIVE GOLD ON CONTACT AREA, MATTE TIN TAIL
- FM: 3 $\mu$ " FLASH GOLD ON CONTACT AREA, MATTE TIN TAIL
- STL: 30 $\mu$ " SELECTIVE GOLD ON CONTACT AREA, TIN/LEAD (90/10  $\pm$ 5%) TAIL

## BODY SPECIFICATION

-D: DOUBLE ROW

## PACKAGING

BLANK: TUBES (SEE NOTE 15 & 16)  
-TR: TAPE AND REEL (SEE FIG 4, SHT 7)  
(NOT AVAILABLE WITH -DS OPTION OR THROUGH HOLE LEAD STYLE)  
(SEE NOTES 14, 16 & 17)  
-FR: FULL REEL QTY. TAPE & REEL  
(NOT AVAILABLE WITH -DS OPTION OR T. H. LEAD STYLE) (SEE NOTES 14, 16 & 17)

## PICK AND PLACE OPTION

-P: PICK AND PLACE PAD (USE PPP-04, USE PPP-72 FOR -05 & -07)  
(AVAILABLE IN ALL POSITIONS -05 THRU -50 EXCEPT -05 WITH -WT)  
(NOT AVAILABLE FOR -RA OR -REX, SEE FIG 7, SHT 3)  
-K: POLYIMIDE FILM (SEE FIG 3, SHT 2)  
(USE K-DOT-.217-.313-.005)  
(NOT AVAILABLE FOR -RA OR -REX)  
(ALL LEAD STYLES EXCEPT -21 AVAILABLE)

## OPTION

- A: ALIGNMENT PIN (USE TFM-XX-D-XX-A, SEE TABLE 1) (SEE FIG 8, SHT 3)  
(NOT AVAILABLE FOR -RA OR -REX)
- LC: LOCKING CLIP (USE LC-05-TM)  
(NOT AVAILABLE FOR -RA OR -REX)  
(SEE FIG 10, SHT 3 & NOTES 3 & 11)
- RA: RIGHT ANGLE (AVAILABLE ONLY IN LEAD STYLE: -01 SEE FIG 5, SHT 2)
- SA: STAKED ALIGNMENT PIN (SEE FIG 9, SHT 3)  
(ONLY AVAILABLE ON SURFACE MOUNT LEAD STYLE)
- WT: WELD TABS (USE WT-25-XX-T)  
(AVAILABLE ON -01, -02 & -03 LEAD STYLES ONLY) (SEE FIG 6, SHT 2)  
(MATES WITH SFSS/SFSD -SR & -DR ONLY)  
(NOT AVAILABLE WITH -A, -LC, -RA, OR -SA OPTIONS)
- RE1: RIGHT ANGLE ELEVATED .062 PCB  
(USE TFM-XX-D-01-RE, NOT AVAILABLE WITHOUT -WT, AVAILABLE IN LEAD STYLE -01 ONLY, -03 THRU -50 POS)  
(MATES WITH SFSS/SFSD -SR & -DR ONLY) (SEE FIG 11, SHT 4)
- RE2: RIGHT ANGLE ELEVATED .093 PCB  
(USE TFM-XX-D-01-RE, NOT AVAILABLE WITHOUT -WT, AVAILABLE IN LEAD STYLE -01 ONLY, -03 THRU -50 POS)  
(MATES WITH SFSS/SFSD -SR & -DR ONLY) (SEE FIG 11, SHT 4)
- SN: SOLDER NAIL FOR .062 BOARD  
(TFM-XX-D-01-SN AND WT-27-01-T)  
(SEE FIG 12, SHT 3)  
(ONLY AVAILABLE WITH -02 LEAD STYLE)  
(NOT AVAILABLE WITH OPTIONS -A, -LC, -RA, -SA, -WT, -RE1 OR -RE2)
- SN2: SOLDER NAIL FOR .093 BOARD  
(TFM-XX-D-01-SN AND WT-27-02-T)  
(SEE FIG 12, SHT 3)  
(ONLY AVAILABLE WITH -02 LEAD STYLE)  
(NOT AVAILABLE WITH OPTIONS -A, -LC, -RA, -SA, -WT, -RE1 OR -RE2)
- DS: DUAL SCREW DOWN FOR .062 BOARD  
(SEE FIG 18, SHT 5)  
(ONLY AVAILABLE WITH -01 & -02 LEAD STYLE)  
(NOT AVAILABLE WITH OPTIONS -A, -LC, -P, -RA, -TR, -SA, -K, -WT, -RE1, -RE2, -SN, -SN2)  
(-01 LEAD STYLE USES TFM-XX-D-01-DSL & T1-M2-4-VSFM-T, 02 LEAD STYLE USES TFM-XX-D-01-DSA & T1-M2-4-VSFM-T)





FIG 1  
THROUGH HOLE  
-01, -03, -11, -13, -21, -23, -31



UNLESS OTHERWISE SPECIFIED,  
DIMENSIONS ARE IN INCHES.

TOLERANCES ARE:

| DECIMALS                  | ANGLES |
|---------------------------|--------|
| .XX: $\pm$ .01[0.3]       | 2°     |
| .XXX: $\pm$ .005[0.13]    |        |
| .XXXX: $\pm$ .0020[0.051] |        |

## PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

MATERIAL: DO NOT SCALE DRAWING

INSULATOR:  
LCP, UL 94-VO  
COLOR: BLACK

TERMINAL: PHOSPHOR BRONZE

SHEET SCALE: 2.5:1

DESCRIPTION:

WORLDPO

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322

.050 X .050 TERMINAL STRIP

DWG. NO.







TFM-1XX-XX-XXX-D-XXX-X-XX

BY: garyp


11/5/2014

SHEET 1 OF 7

# REVISION FT



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                                                              |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------|--|
| <p>PROPRIETARY NOTE</p> <p>THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.</p> <p>DO NOT SCALE DRAWING</p> <p>SHEET SCALE: 2:1</p> |  | <p>F:\DWG\MISC\MKTG\TFM-1XX-XX-XXX-D-XXX-X-XX-MKT.slddrw</p> |  |
| <p>520 PARK EAST BLVD, NEW ALBANY, IN 47150<br/>PHONE: 812-944-6733 FAX: 812-948-5047<br/>e-Mail info@SAMTEC.com code 55322</p>                                                                                                                                                                                                                                                                                                                                                                            |  | <p>DESCRIPTION:<br/>.050 X .050 TERMINAL STRIP</p>           |  |
| <p>DWG. NO.<br/>TFM-1XX-XX-XXX-D-XXX-X-XX</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | <p>BY: garyp 11/5/2014 SHEET 2 OF 7</p>                      |  |



SECTION "E"-E"

NOTE: "M" = (No. OF POSITIONS X .050[1.27]) + .125[3.18] (REF)  
WITH -WT "M" = (No. OF POSITIONS X .050[1.27]) + .263[6.68] (REF)  
"P" = {("M" - .394[10.01]) / 2} ±.020[.51]

\* NOTCH ON PAD TO BE ON SAME END AS THE NOTCH IN THE TFM BODY

FIG 7  
-P OPTION  
DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1  
(PAD TO BE POSITIONED ON C.L. AS SHOWN)




FIG 10  
-LC OPTION  
DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1  
(NOT AVAILABLE ON -RA)




FIG 8  
-A OPTION  
DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1




FIG 9  
-SA OPTION: STAKED ALIGNMENT PIN  
DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1




FIG 12  
-SNX: SOLDER NAIL  
DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1

| TABLE 4 |           |
|---------|-----------|
| OPTION  | "B"       |
| -SN     | .081 2.06 |
| -SN2    | .115 2.92 |

F:\DWG\MISC\MKTG\TFM-1XX-XX-XXX-D-XXX-X-XX-MKT.sldrw

**PROPRIETARY NOTE**  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

**WORLDPO**

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:  
.050 X .050 TERMINAL STRIP

DWG. NO.  
**TFM-1XX-XX-XXX-D-XXX-X-XX**

BY: garyp 11/5/2014 SHEET 3 OF 7






FIG 18  
 -DS: DUAL SCREW DOWN  
 TFM-110-02-XXX-D-DS SHOWN  
 DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1

F:\DWG\MISC\MKTG\TFM-1XX-XX-XXX-D-XXX-X-XX-MKT.slddrw

|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>PROPRIETARY NOTE</b></p> <p>THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.</p> |  | <p><b>WORLDPO</b></p> <p>520 PARK EAST BLVD, NEW ALBANY, IN 47150<br/>         PHONE: 812-944-6733 FAX: 812-948-5047<br/>         e-Mail info@SAMTEC.com code 55322</p> |
| <p>DO NOT SCALE DRAWING</p> <p>SHEET SCALE: 2:1</p>                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                                                                                         |
| <p>DESCRIPTION:</p> <p>.050 X .050 TERMINAL STRIP</p>                                                                                                                                                                                                                                                                                                                                                                                                         |  | <p>DWG. NO.<br/> <b>TFM-1XX-XX-XXX-D-XXX-X-XX</b></p>                                                                                                                   |
| <p>BY: garyp 11/5/2014</p>                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |                                                                                                                                                                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | <p>SHEET 5 OF 7</p>                                                                                                                                                     |

## PARTS TO BE PACKAGED IN TUBES AS SHOWN





FIG 13  
PT-1-24-18-09FIG 14  
PT-1-24-XX-09FIG 15  
PT-1-24-05-17FIG 16  
PT-1-24-09F-109

TABLE 2

| LEAD STYLE                                                                                        | PACKAGING TUBE      | PLUG  |
|---------------------------------------------------------------------------------------------------|---------------------|-------|
| -RA (ALL LEAD STYLES)                                                                             | PT-1-24-05-17       | TP-07 |
| -REX                                                                                              | PT-1-24-09F-109     | TP-29 |
| -01, -01-A, -01-LC, -01-WT, -01-A-K, -02, -02-A, -02-A-K, -02-LC, -02-SN                          | PT-FTSH002-DV-A-P-M | TP-03 |
| -12 (ALL OPTIONS), -22-K, -22, -22-A, -22-A-K, -22-LC, -22-LC-K                                   | PT-1-24-04-09       | TP-07 |
| -02-A-P, -02-K, -02-LC-K, -02-LC-P, -02-P, -02-WT, -02-WT-K                                       | PT-1-24-18-09       | TP-09 |
| -01-K, -01-P, -01-LC-P, -01-A-P, -01-WT-P, -01-WT-K, -11, -11-A, -11-LC, -11-K, -11-LC-K, -11-A-K |                     |       |
| -03 (ALL OPTIONS)                                                                                 |                     |       |
| -13, -13-A, -13-LC, -13-K, -13-LC-K, -13-A-K                                                      |                     |       |
| -01-DS, -02-DS                                                                                    | PT-1-24-02-09       | TP-07 |
| -31-A-K, -31-A-P, -31-LC-P, -31-P, -32, -32-K, -32-A, -32-A-K,                                    |                     |       |
| -32-A-P, -32-LC-K, -32-LC-P, -32-P, -32-LC                                                        |                     |       |
| -31, -21-P, -22-P, -31-LC, -21-A-P, -21-LC-P, -22-LC-P, -22-A-P, -31-A,                           | PT-1-24-05-09       | TP-07 |
| -13-P, -13-LC-P, -13-A-P, -21, -23, -23-P, -23-A-P,                                               |                     |       |
| -11-P, -11-LC-P, -11-A-P, -21-K, -21-A, -21-LC, -21-A-K, -21-LC-K,                                | PT-1-24-20-09       | TP-07 |
| -23-K, -23-A, -23-A-K, -23-LC, -23-LC-K                                                           |                     |       |

## NOTE:

1. PARTS TO BE PACKAGED WITH THE LOADING DIRECTION ARROW POINTED IN SAME DIRECTION AS THE ARROW ON TUBE.
2. A PART WITH -SA OPTION WILL USE THE SAME TUBE AS THE CORRESPONDING PART WITH THE -A OPTION

## PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

F:\DWG\MISC\MKTG\TFM-1XX-XX-XXX-D-XXX-X-XX-MKT.sldddr

WORLDPO

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:

.050 X .050 TERMINAL STRIP

DWG. NO.

TFM-1XX-XX-XXX-D-XXX-X-XX

BY: garyp

11/5/2014

SHEET 6 OF 7

| TABLE 1    |                |                |                |              |              |             |              |             |              |
|------------|----------------|----------------|----------------|--------------|--------------|-------------|--------------|-------------|--------------|
| LEAD STYLE | BODY           | "A"            | TERMINAL 1     | TERMINAL 2   | "C"          | "D"         | "E"          | "J"         | "K"          |
| -01        | TFM-XX-D-01-XX | .2200 [5.588]  | T-1R16-01-XX-2 | N/A          | .428 [10.87] | .131 [3.33] | .303 [7.70]  | .078 [1.98] | N/A          |
| -11        | TFM-XX-D-02-XX | .2900 [7.366]  | T-1R20-03-XX   | N/A          | .645 [16.38] | .139 [3.53] | .375 [9.53]  | .080 [2.03] | N/A          |
| -21        | TFM-XX-D-03-XX | .3600 [9.144]  | T-1R20-04-XX   | N/A          | .645 [16.38] | .139 [3.53] | N/A          | .080 [2.03] | N/A          |
| -31        | TFM-XX-D-04-XX | .4350 [11.049] | T-1R20-02-XX   | N/A          | .645 [16.38] | .139 [3.53] | .520 [13.21] | .080 [2.03] | N/A          |
| -02        | TFM-XX-D-01-XX | .2200 [5.588]  | T-1R16-01-XX-2 | N/A          | .428 [10.87] | .131 [3.33] | .231 [5.87]  | N/A         | .226 [5.74]  |
| -12        | TFM-XX-D-02-XX | .2900 [7.366]  | T-1R20-03-XX   | N/A          | .645 [16.38] | .139 [3.53] | .301 [7.65]  | N/A         | .296 [7.52]  |
| -22        | TFM-XX-D-03-XX | .3600 [9.144]  | T-1R20-04-XX   | N/A          | .645 [16.38] | .139 [3.53] | .371 [9.42]  | N/A         | .366 [9.30]  |
| -32        | TFM-XX-D-04-XX | .4350 [11.049] | T-1R20-02-XX   | N/A          | .645 [16.38] | .139 [3.53] | .446 [11.33] | N/A         | .441 [11.20] |
| -01-RA     | TFM-XX-D-01-XX | .2200 [5.588]  | T-1R16-02-XX   | T-1R16-03-XX | N/A          | .142 [3.59] | N/A          | N/A         | N/A          |
| -01-RE1    | TFM-XX-D-01-RE | .2400 [6.096]  | T-1R16-06-XX   | T-1R16-07-XX | N/A          | .139 [3.52] | N/A          | N/A         | N/A          |
| -01-RE2    | TFM-XX-D-01-RE | .2400 [6.096]  | T-1R16-08-XX   | T-1R16-09-XX | N/A          | .139 [3.52] | N/A          | N/A         | N/A          |
| -03        | TFM-XX-D-01-XX | .2200 [5.588]  | T-1R16-10-XX   | N/A          | .645 [16.38] | .139 [3.53] | .336 [8.53]  | .111 [2.82] | N/A          |
| -13        | TFM-XX-D-02-XX | .2900 [7.366]  | T-1R20-05-XX   | N/A          | .645 [16.38] | .139 [3.53] | .406 [10.31] | .111 [2.82] | N/A          |
| -23        | TFM-XX-D-03-XX | .3600 [9.144]  | T-1R20-06-XX   | N/A          | .645 [16.38] | .139 [3.53] | .476 [12.09] | .111 [2.82] | N/A          |




FIG 4  
-TR: TAPE AND REEL  
(SEE NOTE 14)




FIG 17  
PT-FTSH002-DV-A-P-M

F:\DWG\MISC\MKTG\TFM-1XX-XX-XXX-D-XXX-X-XX-MKT.slddrw

PROPRIETARY NOTE  
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

WORLDPO

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812-944-6733 FAX: 812-948-5047  
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:  
.050 X .050 TERMINAL STRIP

DWG. NO.  
TFM-1XX-XX-XXX-D-XXX-X-XX

BY: garyp 11/5/2014 SHEET 7 OF 7